




ROCKWELL HARDHEIDSTESTER
QNESS 150 RCS

QNESS 60 / 150 RCS

PRODUCTVOORDELEN

- | Extremely fast hardness testing cycle - under 2 seconds
- | State-of-the-art technology, innovative design
- | Innovative Siemens S7 controls
- | Siemens 4" touch display
- | Workspace illumination
- | Data output via RS232 interface
- | 2 load ranges available: HRC or HBT 2.5/62.5 (others on request)
- | Snug-fit roller-bearing spindle guide
- | Can be integrated into production lines for automation



QNESS 60 / 150 RCS

TECHNISCHE GEGEVENS

Test methode	Qness 150 RCS: HRC Qness 60 RCS: HBT 2.5
Test kracht gebied	Qness 150 RCS: 150 kg (1471.5 N) Qness 60 RCS: 62.5 kg (613.1 N)
Hoogteregeling	Handwiel
Test hoogte horizontaal bereik	180 mm / 180 mm
Test schroefbank	Ø 100 mm
Gewicht van basisapparaat	120 kg
Interfaces	1 x RS232 C, 1 x RJ45 (Ethernet)
Stroomvoorziening	230~1/N/PE, 110~1/N/PE
Max. vermogen	~ 360 W

Toebehoren en opties

Algemeen

Penetrator (Rockwell, Brinell)

Inline - oplossing

overeen te komen

Opties

Maatwerk apparaten, aangepaste schroefbanken, pro bus, sorteerlampen, flitslicht

www.qatm.com/q150rcs

BESTELGEGEVENS